Additions to the bibliography of Indian lichens in the years 2018 and 2019

Siljo Joseph¹, Sanjeeva Nayaka¹*, G.P. Sinha²

Lichenology Laboratory, CSIR-National Botanical Research Institute, Rana Pratap Marg, Lucknow - 226 001, Uttar Pradesh, India. ²Botanical Survey of India, Central Regional Centre, 10-Chatham Lines, Allahabad - 211 002, Uttar Pradesh, India.

Publication Info

Article history:

Received: 10 August 2020 Accepted: 15 September 2020 DOI: 10.21756/cab.v4i2.2

Keywords:

Bioprospecting, Endolichens, Lichenicolous fungi, Lichenized fungi, Literature survey, Taxonomy

*Corresponding author:

e-mail: nayaka.sanjeeva@

gmail.com

ABSTRACT

This communication is in continuation with "Bibliography to the Indian lichens from the year 2010 onwards" published in a special volume of this journal by Joseph et al. (2018). Here a total of 146 research articles, books and chapters published during the years 2018 and 2019 are listed. The list also includes some of the references missing in the previous list. It is interesting to note that the range of publications during this period included all aspects of lichenology, starting from taxonomy to bioprospecting and lichenized fungi to endolichen and lichenicolous fungi. The missing publications, if any, in this list will be included in the forthcoming volume of the journal.

BIBLIOGRAPHIC ACCOUNT

Year 2018

- Bajpai R, Nayaka S and Upreti DK (2018) [2017]. Extended distribution of lichen genera Heiomasia and Herpothallon in India. Phytotaxonomy 17: 31-38.
- Bajpai R, Semwal M and Singh CP (2018). Suitability of lichens to monitor climate change. Cryptogam Biodiversity and Assessment, Special Volume: 182-189.
- Bajpai R, Shahi SK, Kanwar L, Mahobia D, Prajapati AK, Upreti DK (2018). Current status of lichen diversity in Chhattisgarh state, India. Cryptogam Biodiversity and Assessment 3(1): 33-42.
- Bajpai R, Shukla V, Singh CP, Tripathi OP, Nayaka S and Upreti DK (2018). Lichen community composition in Tawang District of Arunachal Pradesh, tool for long-term climate change monitoring. Proceedings of the National Academy of Sciences, India Section B: Biological Sciences 88(3): 915-922.
- Bajpai R, Upreti DK and Nayaka S (2018). The lichen genera Lepraria (Stereocaulaceae) and Leprocaulor (Leprocaulaceae) in India. Phytotaxa 356(2): 101-116.
- Bisht K, Joshi Y, Upadhyay S and Metha P (2018). Recession of Milam Glacier, Kumaun Himalaya, observed via lichenometric dating of Moraines. Journal of the Geological Society of India 92(2): 173-176.
- Chandra K and Joshi Y (2018). Lichen diversity assessment of Darma Valley, Pithoragarh, Uttarakhand. G- Journal of Environmental Science and Technology 5(6): 83-87.
- Das K, Rossi W, Leonardi M, Ghosh A, Bera I, Hembrom ME, Bajpai R, Joseph S, Nayaka S, Upreti DK, Wang X, Hofstetter V and Buyck B (2018). Fungal Biodiversity Profiles 61-70. Cryptogamie, Mycologie 39: 381-418.
- Dalasingh BK, Mahalik G, Parida S and Biswal SK (2018). Some pollution indicating plants found in Puri-Konark Marine Drive, Odisha, India. International Journal of Science Technology and Management 7(9): 1-5.
- Debnath RP, Mandal N and Rout J (2018). Phytochemical screening of macrolichens Acroscyphus sphaerophoroides and Dirinaria consimilis from North East India for antioxidant and antibacterial activities. Cryptogam Biodiversity and Assessment, Special Volume: 190-196.
- Divakar PK and Crespo A (2018). Molecular phylogeny uncovers an overlooked species in the macrolichen family Parmeliaceae (Ascomycota) from India. Cryptogam Biodiversity and Assessment, Special Volume: 14-21.
- Dudani SN, Joseph S and Nayaka S (2018). The unrealized potential of lichens in nature. CEiBa Newsletter 1(4): 3-8.
- Dudani SN, Nayaka S, Ingle KK and Joseph S (2018). New species and new records of lichenized Ascomycota from tropical deciduous forests of the Western Ghats biodiversity hotspot, India. Turkish Journal of Botany 42(3): 346-353.

- Gupta P (2018). Lichen diversity in the Terai regions of Uttar Pradesh, India. Cryptogam Biodiversity and Assessment, Special Volume: 115-143.
- Gupta P and Sinha GP (2018). Lichen Flora of Assam. Indian Journal of Forestry Additional Series V. Bishen Singh Mahendra Pal Singh, Dehra Dun, India.
- Ingle KK, Uppadhyay V, Nayaka S, Trivedi S and Sahoo D (2018). New records and an updated key of *Pyrenula* from India. Cryptogam Biodiversity and Assessment, Special Volume: 37-56.
- Jagadeesh Ram TAM and Sinha GP (2018). Lichens of Neora Valley National Park. Cryptogam Biodiversity and Assessment, Special Volume: 144-175.
- Jagadeesh Ram TAM and Sinha GP (2018). Additional lichen records from the Andaman & Nicobar Islands 4. Indian Journal of Forestry 41(2): 207-215.
- Joseph S, Dudani SN and Nayaka S (2018). First report of lichens from St. Mary's Islands, the south west coast, India. Studies in Fungi 3(1): 264-270.
- Joseph S, Nayaka S and Sinha GP (2018). Bibliography to the Indian lichens from the year 2010 onwards. Cryptogam Biodiversity and Assessment, Special Volume: 207–231.
- Joseph S, Nayaka S, Randive P and Upreti DK (2018). New records and a key to the species of *Malmidea* (lichenized Ascomycota) from India. Feddes Repertorium 129(3): 189-192.
- Joseph S, Sinha GP and Ramachandran VSR (2018). Taxonomic Revision of the Lichen Genus *Opegrapha sensu lato* (Roccellaceae) in India. Indian Journal of Forestry Additional Series VI. Bishen Singh Mahendra Pal Singh, Dehra Dun, India.
- Joshi S, Upreti DK, Divakar PK, Lumbsch HT and Lücking R (2018). A re-evaluation of thelotremoid Graphidaceae (lichenized Ascomycota: Ostropales) in India. The Lichenologist 50(6): 627-678.
- Josh Y (2018). Documentation of lichenicolous fungi from India Some additional reports. Kavaka 51: 30-34.
- Joshi Y, Bisht K, Upadhyay S and Chandra K (2018). Three new records of lichens from India. Nelumbo 60(1): 90-94.
- Joshi Y, Tripathi M, Bisht K, Upadhyay S, Kumar V, Pal N., Gaira A, Pant S, Rawat KS, Bisht S, Bajpai R and Halda JP (2018). Further contributions to the documentation of lichenicolous fungi from India. Kavaka 50: 26-33.
- Joshi Y, Upadhyay S, Shukla S, Bisht K, Chandra K and Tripathi M (2018). Sacred groves: treasure house for macrolichen diversity in Kumaun Himalaya. Proceedings of the National Academy of Sciences, India, Section B: Biological Sciences 88(3): 935-948.
- Kekuda TP, Vinayaka KS and Sachin MB (2018). Chemistry, ethnobotanical uses and biological activities of the lichen genus *Heterodermia* Trevis. (Physciaceae; Lecanorales; Ascomycota): A comprehensive review. Journal of Applied Pharmaceutical Science 8(5): 148-155.
- Khader SZA, Ahmed SSZ, Venkatesh KP, Chinnaperumal K and Nayaka S (2018). Larvicidal potential of selected indigenous lichens against three mosquito species–*Culex quinquefasciatus*, *Aedes aegypti* and *Anopheles stephensi*. Chinese Herbal Medicines 10(2): 152-156.
- Kholia H, Upreti DK, Tiwari LM and Mishra GK (2018). Lichens of Nainital, Western Himalaya. Shree Publishers & Distributors,
- Kondratyuk SY, Lőkös L, Halda JP, Farkas E, Upreti DK, Thell A, Woo JJ, Oh SO and Hur JS. (2018). New and noteworthy lichenforming and lichenicolous fungi 7. Acta Botanica Hungarica 60(1-2): 115-184.
- Kondratyuk SY, Persson PE, Hansson M, Mishra GK, Nayaka S, Liu D, Hur JS and Thell A (2018). *Upretia*, a new caloplacoid lichen genus (Teloschistaceae, lichen-forming Ascomycota) from India. Cryptogam Biodiversity and Assessment, Special Volume: 22-31.
- Kumar K, Siva B, Sarma VUM, Mohabe S, Reddy AM, Boustie J, Tiwari AK, Rao NR and Babu KS (2018). UPLC–MS/MS quantitative analysis and structural fragmentation study of five *Parmotrema* lichens from the Eastern Ghats. Journal of Pharmaceutical and Biomedical Analysis 156: 45-57.
- Maikhuri S, Kaur A, Napalchyal S and Dobhal K (2018). Lichen (Jhula)-livelihood potential, market survey and value chain in Uttarakhand. Indian Forester 144(11): 1076-1081.
- Mallavadhani UV and Sudhakar AV (2018). Roccellatol, a new β-orcinol based metabolite from the lichen *Roccella montagnei*. Natural Product Research 32(3): 268-274.
- Mishra GK (2018). Assessment of anti-fungal activities of some Himalayan lichens against plant pathogenis fungi. Journal on New Biological Reports 7(2): 19-22.
- Mishra GK, Shukla V, Nayaka S and Upreti DK (2018). Lichen communities as a tool to map environmental condition in Champawat district of Uttarakhand. Cryptogam Biodiversity and Assessment 3(1): 7-19.

- Mishra GK, Nayaka S, Upreti DK and Kondratyuk SY (2018). Species and chemical diversity in lichen family Teloschistaceae and their bioprospecting potential: A review in Indian context. Cryptogam Biodiversity and Assessment 3(2): 8-22.
- Mohabe S, Anjali DB, Pandava G, Reddy AM and Nayaka S (2018). *Thelopsis isiaca* Stiz. (Stictidiaceae), in Eastern Ghats a new record from India. Cryptogam Biodiversity and Assessment 3(1): 4-6.
- Nayak SK, Behera PK, Bajpai R, Satapathy KB and Upreti DK (2018). A need for lichen bio-deterioration study on Ratnagiri and Udayagiri excavation site of Jajpur, Odisha. Cryptogam Biodiversity and Assessment 3(1):20-23.
- Niranjan M and Sarma VV (2018). New records of lichenized fungi in the family Trypetheliaceae from Andaman Islands, India. Current Research in Environmental & Applied Mycology 8(4): 438-445.
- Pandey A, Qidwai A, Pandey M, Kumar R, Shukla SK and Dikshit A (2018). Bactericidal screening and estimation of free radical scavenging activity of fruticose lichen *Cladonia scabriuscula* Delise (Nyl.) from Gopeshwar, Uttarakhand, India. International Journal of Pharmaceutical Sciences and Research 9(7): 2847-2851.
- Parizadeh H and Garampalli RH (2018). Chemical composition and correlation study on phytochemicals of some lichen species. International Journal of Pharmacognosy 5(3): 167-176.
- Poornima S, Ponmurugan P, Gnanamangai BM, Gayathri G, Dheenadhayalan K and Ayyappadasan G (2018). Screening of biologically potent endolichenic fungi isolated from selected lichens habitat on silver oak tree. Vegetos-An International Journal of Plant Research 31(3): 89-94.
- Randive P, Nayaka S and Janarthanam MK (2018). Lichens of Cotigao Wildlife Sanctuary, Goa. International Journal of Life Sciences, Special issue A9: 31-36.
- Rather LJ, Jameel S, Ganie SA and Bhat KA (2018). Lichen derived natural colorants: history, extraction, and applications. In: Yusuf M (ed.) Handbook of Renewable Materials for Coloration and Finishing, Scrivener Publishing LLC, pp. 103-114.
- Rawat H, Sharma E and Fatima N (2018). Value-addition of silk using natural dye extracted from lichen (*Evernia cirrhatum*). Journal of Applied and Natural Science 10(2): 627-632.
- Reang D, De A and Das AK (2018). Spatial analysis on land use/land cover from IRS-R2 LISS4 FMX data-A case study in Assam University campus, India. NeBio 9(1): 134-140.
- Sachin MB, Mahalakshmi SN and Kekuda PTR (2018). Insecticidal efficacy of lichens and their metabolites-A mini review. Journal of Applied Pharmaceutical Science 8(10): 159-164.
- Singh A and Uniyal PL (2018). Study on the accumulation of heavy metals in some epiphytic mosses of Nainital City, Uttarakhand, India. Cryptogam Biodiversity and Assessment 3(1): 1-6.
- Singh KP, Sigh P and Sinha GP (2018). Lichen diversity in the Eastern Himalaya biodiversity hotspot region, India. Cryptogam Biodiversity and Assessment, Special Volume: 71-114.
- Singh N, Verma RK, Kumar N, Bajpai R, Upreti DK and Rana TS (2018). Molecular analysis of genetic diversity and population structure in *Everniastrum cirrhatum* (Fr.) Hale (Parmeliaceae) in India. The Nucleus 61(1): 19-27.
- Singh P and Singh KP (2018) [2017]. *Leucodecton minisporum* Lücking (Graphidaceae), a new record to Indian lichen biota. Phytotaxonomy 17: 24-26.
- Singh P and Singh KP (2018). A note on the recollection of *Haematomma accolens* (Stirt.) Hillm. (lichenized Ascomycota) after a gap of 136 years from the tropical forests of Indo-Burma biodiversity hotspot, North-East India with a key to the Indian species. Indian Journal of Forestry 41(3): 315-318.
- Singh P, Jagadeesh Ram TAM and Singh KP (2018). New records of graphidoid Graphidaceae (lichenized Ascomycota: Ostropales) for India from the Andaman and Nicobar Islands. The Indian Forester 144(2): 200-202.
- Singh P, Singh PK, Tondon PK, Singh KP (2018). Heavy metals accumulation by epiphytic foliose lichens as biomonitors of air quality in Srinagar city of Garhwal hills, Western Himalaya (India). Current Research in Environmental & Applied Mycology 8(2): 282-289.
- Sinha GP, Nayaka S and Joseph S (2018). Additions to the checklist of Indian lichens after 2010. Cryptogam Biodiversity and Assessment, Special Volume: 197-206.
- Srivastava P, Bajpai R and Upreti DK (2018) [2017]. Lichens: tool for assessing climate change and ambient air quality. ENVIS-NBRI News Letter 13(3): 2-7.
- Subramanya SK and Krishnamurthy YL (2018). Diversity of foliicolous lichens in Shivamogga district, Karnataka. Cryptogam Biodiversity and Assessment, Special Volume: 176-181.
- Swarnalatha G (2018). Macrolichen diversity of Mahendragiri hills of Odisha state, India–II. Plant Science Research 40 (1&2): 77-79.

- Tatipamula VB, Vedula GS and Murthy KS (2018). A note on the occurrence of lichens on Vainateya Godavari mangroves in East Godavari district of Andhra Pradesh India. Studies in Fungi 3(1): 302-308.
- Tatipamula VB, Vedula GS, Paidi KR and Annam SSP (2018). Nutraceutical value of lichens, *Graphis ajarekarii* and *Parmotrema tinctorum* and their implications in Diabetes. Inventi Rapid: Nutraceuticals 3:189-194.
- Tatipamula VB, Vedula GS, Rathod BB, Shetty PR and Sastry AVS (2018). Study of phytochemical analysis, total flavonoid and phenolic content, antimicrobial properties and chemical constituents of two manglicolous lichens extracts. Inventi Impact: Planta Activa 3:129-134.
- Thakur M and Chander H (2018). Bio-indicator lichens of Sikandra Hills of North West Himalaya. Asian Journal of Advanced Basic Sciences 6(2): 35-37.
- Thakur M and Chander H (2018). Ethnolichenological notes on lichens of Sikandra Dhar region of North-West Himalaya. Asian Journal of Advanced Basic Sciences 6(2): 38-41.
- Upadhyay S, Joshi Y, Bisht K, Joshi P and Kumar V (2018). Macrolichen diversity associated with a regenerating sacred grove: A case study from Futsil sacred grove, Gangolihat, Pithoragarh, Uttarakhand, India. International Journal of Ecology and Environmental Sciences 44(2): 199-205.
- Upadhyay S, Jugran AK, Joshi Y, Suyal R and Rawal RS (2018). Ecological variables influencing the diversity and distribution of macrolichens colonizing *Quercus leucotrichophora* in Uttarakhand forest. Journal of Mountain Science 15(2): 307-318.
- Uppadhyay V, Trivedi S, Ingle KK, Bajpai R and Upreti DK (2018). Biodeterioration studies on some monuments of Gwalior division, Madhya Pradesh, India with Calcium and Magnesium accumulation in lichens. Cryptogam Biodiversity and Assessment 3(1): 27-32.
- Yadav S, Kumar A, Raj H and Bora HR (2018). Lichen diversity in coal mining affected areas of Makum coalfield, Magherita, Assam. Tropical Plant Research 5(2): 243-249.
- Zachariah SA, Nayaka S, Joseph S, Gupta P, Thomas S and Varghese SK (2018). New and noteworthy records of lichens from Pathanamthitta district, Kerala, India. Studies in Fungi 3: 349-356.

Year 2019

- Ahmed KSZ, Ahmed SSZ, Thangakumar A and Krishnaveni R (2019). Therapeutic effect of *Parmotrema tinctorum* against complete Freund's adjuvant-induced arthritis in rats and identification of novel Isophthalic ester derivative. Biomedicine & Pharmacotherapy 112, 108646. DOI: 10.1016/j.biopha.2019.108646.
- Ahamed TS, Rajan VK, Sabira K and Muraleedharan K (2019). DFT and QTAIM based investigation on the structure and antioxidant behavior of lichen substances Atranorin, Evernic acid and Diffractaic acid. Computational Biology and Chemistry 80: 66-78.
- Bajpai R, Shukla V, Pandey U and Upreti DK (2019). Do lichens have the ability to remove arsenic from water? International Journal of Plant and Environment 5(1): 47-49.
- Bajpai R, Singh CP, Rana TS, Upreti DK (2019). Lichenology and geomatics for monitoring air pollution and climate change impacts. Journal of Geomatics 13(2): 316-323.
- Bajpai R, Singh CP, Upreti DK. (2019). Lichenological practices for monitoring atmospheric pollution and climate change. International Journal of plant and Environment 5(3): 170-185.
- Bharadwaj V (2019) New record of mangrove lichens from Andhra Pradesh and Orissa states of India. Studies in Fungi 4(1): 97-100.
- Chander H and Chandel VC (2019). An enumeration of lichens from Bara Bhangal region of Dhauladhar Wildlife Sanctuary. Asian Journal of Advanced Basic Sciences 7(1): 45-50.
- Chandra K, Joshi Y, Upadhyay S and Bisht K (2019). Can *Rumex hastatus* D. Don. be used as a biocontrol agent for removing lichens colonizing monuments? A case study from Kumaun Himalaya. National Academy Science Letters 42(4): 369-373.
- Chandra S (2019). Revision of the lichen genus *Buellia* De Not. (Family Physciaceae) from India. Indian Journal of Scientific Research 9(2): 13-21.
- Dandapat M and Paul S (2019). Secondary metabolites from lichen *Usnea longissima* and its pharmacological relevance. Pharmacognosy Research 11(2): 103-109.
- Devashree, Pandey A, Dikshit A and Nayaka S (2019). Antimicrobial activity of *Roccella montagnei* against pathogenic microorganisms. International Journal of Advance Research, Ideas and Innovations in Technology 5(3): 1426-1431.
- Devashree, Pandey A, Dikshit A and Nayaka S (2019). Antimicrobial role of *Parmotrema reticulatum* against pathogenic Microorganisms. Journal of Biological and Chemical Research 36 (2) Part A: 57-63.
- Dudani SD, Joseph S and Nayaka S (2019). Scared forests in the Central Western Ghats as a unique ecosystem for lichen conservation. Environews 25(4): 5-7.

- Gandhi AD, Murugan K, Umamahesh K, Babujanarthanam R, Kavitha P and Selvi A (2019). Lichen *Parmelia sulcata* mediated synthesis of gold nanoparticles: an eco-friendly tool against *Anopheles stephensi* and *Aedes aegypti*. Environmental Science and Pollution Research 26: 23886–23898.
- Goel M, Laatsch H and Uniyal PL (2019). Characterization of phenolic compounds from *Parmelia reticulata* Tayl. National Academy Science Letters 42: 471-474.
- Gogoi R, Joseph S, Nayaka S and Yasmin F (2019). Additions to the lichen biota of Assam State, India. Journal of Threatened Taxa 11(6): 13765-13781.
- Gupta P, Joseph S and Sinha GP (2019). Enterographa assamica, a new species from North-East India. Taiwania 64(1): 1-3.
- Haq MU, Reshi ZA and Upreti DK (2019). Three new records of lichenised fungi from India. Check List 15(3): 461-464.
- Haritha P, Patnaik SK and Tatipamula VB (2019). Chemical and pharmacological evaluation of manglicolous lichen *Graphis ajarekarii* Patw. & C.R. Kulk. Vietnam Journal of Science and Technology 57(3): 300-308.
- Jagadeesh Ram TAM and Sinha GP (2019). Additional lichen records from the Andaman and Nicobar Islands–5. Cryptogam Biodiversity and Assessment 3(2): 1-7.
- Jagadeesh Ram TAM and Sinha GP (2019). New species and first records of *Eremothecella* (Arthoniales) from the Andaman and Nicobar Islands, India. The Lichenologist 51(6): 507-513.
- Joshi S, Nayaka S, Azad M, Bhawsar H, Vinayaka KS and Mishra JPN (2019). *Usnea baileyi* (Stirt.) Zahlbr., a new record for Karnataka, India. Cryptogam Biodiversity and Assessment 4(1): 25-27.
- Joshi Y (2019). *Opegrapha physciae* (Arthoniales: Opegraphaceae), a new lichenicolous species from The Philippines. Kew Bulletin 74, 57 (pp. 1-5).
- Kant R, Kharkwal K, Sinha BK, Ambrish K, Bisht K and Sinha GP (2019). Three new records for lichen biota of Himachal Pradesh, India. Indian Journal of Forestry 42(2): 195-198.
- Kekuda TP, Lavanya D and Pooja R (2019). Lichens as promising resources of enzyme inhibitors: A review. Journal of Drug Delivery and Therapeutics 9(2-s): 665-676.
- Kumar D, Timsina N, Gurung S, Bajpai R, Upreti DK (2019). *Dermatocarpon miniatum* (L.) W. Mann. (Verrucariaceae): A new record to the lichen flora of Sikkim Himalaya, India. NeBIO 10(4): 186-187.
- Kumar K, Mishra JP and Singh RP (2019). Usnic acid inhibits cell proliferation via downregulation of proliferating cell nuclear antigen (PCNA) expression in gastric carcinoma AGS cells. Bioscience Biotechnology Research Communication 12(3): 609-613.
- Kumar P, Siva B, Anand A, Tiwari AK, Rao VC, Boustie J and Babu KS (2019). Isolation, semi-synthesis, free-radicals scavenging, and advanced glycation end products formation inhibitory constituents from *Parmotrema tinctorum*. Journal of Asian Natural Products Research. DOI: 10.1080/10286020.2019.1628024
- Mallavadhani UV, Tirupathamma RS, Sagarika G and Ramakrishna S (2019). Isolation, chemical modification, and anticancer activity of major metabolites of the lichen *Parmotrema mesotropum*. Chemistry of Natural Compounds 55: 825-831.
- Mesta AR, Rajeswari N and Kanivebagilu VS (2019). Distribution of bioactive compounds in Usneoid lichens from Western Ghats. Plant Archives 19(2): 2163-2168.
- Mishra GK, Nayaka S and Upreti DK (2019). Floristic diversity status assessment of lichens from Dima Hasao, North East, India. International Journal of Plant and Environment 5(2): 84-91.
- Nag P, Gupta RK and Upreti DK (2019). Lichenized fungi *Stereocaulon foliolosum* Nyl. (Stereocaulaceae, Ascomycota), indicator of ambient air metal deposition in a temperate habitat of Kumaun, Central Himalaya, India. Tropical Plant Research 6(2): 199-205.
- Nayaka S and Upreti DK (2019). Diversity and ecophysiology of lichens in Schirmacher Oasis, Antarctica. Scientific Report of Twenty Eighth Indian Expedition to Antarctica, Technical Publication No. 26, Ministry of Earth Sciences, New Delhi. pp. 305-326.
- Padhi S, Masi M, Cimmino A, Tuzi A, Jena S, Tayung K and Evidente A (2019). Funiculosone, a substituted dihydroxanthene-1,9-dione with two of its analogues produced by an endolichenic fungus *Talaromyces funiculosus* and their antimicrobial activity. Phytochemistry 157: 175-183.
- Prateeksha, Bajpai R, Yusuf MA, Upreti DK, Gupta VK and Singh BN (2019). Endolichenic fungus, *Aspergillus quandricinctus* of *Usnea longissima* inhibits quorum sensing and biofilm formation of *Pseudomonas aeruginosa* PAO1. Microbial Pathogenesis 140:103933. DOI: 10.1016/j.micpath.2019.103933
- Prateeksha, Singh BR, Gupta VK, Deeba F, Bajpai R, Pandey V, Naqvi AH, Upreti DK, Gathergood N, Jiang Y, El Enshasy HA, Sholkamy EN, Mostafa AA, Hesham AEL and Singh BN (2019). Non-toxic and ultra-small biosilver nanoclusters trigger apoptotic cell death in fluconazole-resistant *Candida albicans* via Ras signaling. Biomolecules 9, 47. DOI: 10.3390/biom9020047.

- Poornima S, Nagarjun N, Ponmurugan P, Gnanamangai BM and Narasimman S (2019). Toxicity and anti-inflammatory study of *Parmotrema austrosinense* extract against oxozalone induced intestinal inflammation in zebrafish (*Danio rerio*) model. Biocatalysis and Agricultural Biotechnology 21, 101278 (1-4).
- Raj DML, Thajuddin S, Moorthy IG, Dhanasekaran D, Kumar RS and Thajuddin N (2019). Processed lichens could be a potential functional food with special reference to traditional dishes. In: Sankaranarayanan A, Amaresan N and Dhanasekaran D (eds.). Fermented Food Products. CRC Press, Taylor & Francis Group. pp. 67-76.
- Rajeswari N, Mesta AR, Kanivebagilu VS and Babu HR (2019). Medicinal importance of Usneoid lichens in Western Ghats, Southern India. Plant Archives 19(2): 2540-2542.
- Rajulu MBG, Thirunavukkarasu N, Kumar SS, Kaur T, Reddy MS and Suryanarayanan TS (2019). Endolichenic fungal diversity associated with some lichens of the Western Ghats. Planta Medica. DOI:10.1055/a-1045-1989
- Rai H and Gupta RK (2019). Biogenic fabrication, characterization, and assessment of antibacterial activity of silver nanoparticles of a high altitude Himalayan lichen *Cladonia rangiferina* (L.) Weber ex F.H. Wigg. Tropical Plant Research 6(2): 293-298.
- Rai H, Nayaka S, Upreti DK and Gupta RK (2019). A new record of *Canomaculina* (Parmeliaceae, Ascomycota) from Western Himalaya, India. National Academy Science Letters 42: 429-431
- Randive P, Joseph S, Gupta P, Nayaka S and Janarthanam MK (2019). Additional records of the foliicolous lichens to the state of Goa. The Indian Forester 145(7): 687-688.
- Reddy SD, Siva B, Kumar K, Babu VSP, Sravanthi V, Boustie J, Nayak VL, Tiwari AK, Rao CHV, Sridhar B, Shashikala P and Babu KS (2019). Comprehensive analysis of secondary metabolites in *Usnea longissima* (Lichenized Ascomycetes, Parmeliaceae) Using UPLC-ESI-QTOF-MS/MS and pro-apoptotic activity of barbatic acid. Molecules 24(12), 2270. DOI: 10.3390/molecules24122270.
- Sahu N, Singh SN, Singh P, Mishra S, Karakoti N, Bajpai R, Behera SK, Nayaka S and Upreti DK (2019). Microclimatic variations and their effects on photosynthetic efficiencies and lichen species distribution along elevational gradients in Garhwal Himalayas. Biodiversity and Conservation 28 (8-9): 1953-1976.
- Saini KC, Nayaka S and Bast F (2019). Diversity of lichen photobionts: Their Coevolution and bioprospecting potential. In: Satyanarayana T, Das S, Johri B (eds.). Microbial Diversity in Ecosystem Sustainability and Biotechnological Applications. Springer, Singapore. pp. 307-323.
- Shanmugam K, Ramalingam S, Venkataraman G and Hariharan GN (2019). The CRISPR/Cas9 system for targeted genome engineering in free-living fungi: advances and opportunities for lichenized fungi. Frontiers in Microbiology 10, 62. DOI: 10.3389/fmicb.2019.00062
- Sharma S, Raina AK and Upreti DK (2019). Lichen diversity of Padder Valley Kishtwar (J&K), India. Journal of Applied and Natural Science 11(2): 511-515.
- Shukla V, Upreti DK, Bajpai R, Patel DK, Prasad S (2019). Change in lichen diversity and metal range variation in lichens of higher Himalayan Regions: periodical observations from 1994-2013. In: Singh J and Singh AP (eds.). Environmental Issues and Challenges in the 21st Century. Kashyap Publications, India. pp. 177-182.
- Singh KP (2019). Lichens of Karnataka a checklist. In: Flora of Karnataka, A checklist, Vol. 1: Algae, Fungi, Lichens, Bryophytes & Pteridophytes. Karnataka Biodiversity Board. pp. 317-400.
- Singh P (2019). A new species of *Cryptothecia* (Arthoniales, Arthoniaceae) from the Western Ghats biodiversity hotspot, India. Phytotaxa 409(2): 101-104.
- Singh P and Singh KP (2019). *Buelliella indica* (Dothideomycetes), a new lichenicolous species from India. Acta Botanica Hungarica 61(3-4): 435-439.
- Singh P and Singh KP (2019). *Bathelium porinosporum* Lücking, M.P. Nelsen & Gueidan (lichenized Ascomycota: Trypetheliaceae), a new record for Indian lichen mycota with a key to Indian species. Indian Journal of Forestry 42(1): 55-57.
- Singh P and Singh KP (2019). Two new records of lichens for India from Maharashtra. Indian Journal of Forestry 42(4): 380-382.
- Singh PK, Bujarbarua P, Singh KP and Tandon PK (2019). Report on the bioaccumulation of heavy metals by foliose lichen (*Pyxine cocoes*) from air polluted area near Nagaon Paper Mill in Marigaon, Assam, North-East India. Journal on New Biological Reports 8(1): 15-21.
- Singh S, Arya M and Vishwakarma SK (2019). Advancements in methods used for identification of lichens. International Journal of Current Microbiology and Applied Sciences 8(8): 1450-1460.
- Singh S, Upreti DK, Lehri A, Shukla V, Niranjan A and Paliwal AK (2019). Assessment of antioxidant potential and related structural diversity of polyphenols in Indian foliose lichens. Cryptogam Biodiversity and Assessment 4(1): 1-18.
- Soundararajan S, Shanmugam P, Nagarajan N, Palanisamy D and Ponnusamy P (2019). *In vitro* study on screening antimicrobial and antioxidant potential of *Ramalina fastigiata*. Journal of Drug Delivery and Therapeutics 9(1): 216-219.

- Srinivasan M, Shanmugam K, Kedike B, Narayanan S, Shanmugam S and Neelakantan HG (2019). Trypethelone and phenalenone derivatives isolated from the mycobiont culture of *Trypethelium eluteriae* Spreng. and their anti-mycobacterial properties. Natural Product Research. DOI: 10.1080/14786419.2019.1566823 (pp. 1-8).
- Swamy CT, Gayathri D, Devaraja TN and Sanjeev G (2019). Low dose e-beam irradiation consequence on plant growth promoting properties of lichenized bacteria, *Enterobacter cloacae* and *Providencia rettgeri*. Indian Journal of Experimental Biology 57: 353-361.
- Thangjam NM, Kumar A, Shukla AC and Upreti DK (2019). Diversity and distribution of lichens in Murlen National Park of Mizoram, India. Environment and Ecology 37(3): 664-672.
- Tripathi M and Joshi Y (2019). Endolichenic Fungi: Present and Future Trends. Springer, Singapore.
- Vinayaka KS (2019). Enumerations of lichens in Sagara Taluk of Shimoga district. In: Vinayaka KS *et al.* (eds.). Floral and Faunal Wealth of India. Bhumi Publishing, Maharashtra.
- Zachariah SA, Nayaka S, Gupta P and Varghese SK (2019). The lichen genus *Pyxine* (Caliciaceae) in Kerala state with *P. dactyloschmidtii* as new to India. Hattoria 10: 109-117.

Years 2010-2017 (Missing references)

- Singh H and Husain T (2012). Scared groves of Kumaon Himalaya, India: an abode for lichens. Phytotaxonomy 12: 145-150.
- Mishra GK, Upreti DK, Dubey D and Punetha N (2014). Diversity and distribution of lichens in Kumaun Himalayas, Uttarakhand. In: Singh RA (ed.). Geology, Biodiversity & Natural Resource of Himalayas and Their Intellectual Property Law. Pratyush Publications, New Delhi. pp. 282-304.
- Mishra GK and Saini DC (2016). Distribution patterns of epiphytic lichens in Kumaun Himalaya, Uttarakhand. Journal on New Biological Reports 5(1): 19-35.
- Mishra GK and Upreti DK (2016). Diversity and distribution of macro-lichen in Kumaun Himalaya, Uttarakhand. International Journal of Advanced Research 4(2): 912-926.
- Bajpai R, Joseph S and Upreti DK (2017). Additional distributional records of the lichen genus *Cryptothecia* in India. Cryptogam Biodiversity and Assessment 2(2): 41-47.
- Deshmukh VP, Bajpai R, Upreti DK, Wagh VV, Rajurkar AV and Bondarkar SG (2017). Lichens diversity of Gawilgarh fort, Amravati district, Maharashtra, India. Cryptogam Biodiversity and Assessment 2(2): 53-57.
- Krishnamurthy YL and Subramanya SK (2017). Foliicolous Lichens of Central Western Ghats, India: Diversity, Distribution and Molecular Study. Lap Lambert Academic Publishing, Germany.
- Mishra GK, Dubey N, Bagla H, Bajpai R and Nayaka S (2017). An assessment of lichens diversity from Bhimashankar Wildlife Sanctuary, Maharashtra, India. Cryptogam Biodiversity and Assessment 2(2): 7-11.
- Mishra GK and Upreti DK (2017). Alpine lichen flora of Kumaun Himalaya, Uttarakhand. In: Mishra GK, Mohan J and Mohan N (eds.). Recent Status of Cryptogam in India. Rachnakar Publishing House, Delhi.
- Mishra GK and Upreti DK (2017). The lichen genus *Parmotrema* A. Massal. from India with additional distribution records. Cryptogam Biodiversity and Assessment 2(2): 18-40.
- Nayak SK, Behera PK, Bajpai R, Upreti DK and Satapathy KB (2017). Lichens growth on Sun Temple of Konark in Odisha, India-A curse or blessing. Cryptogam Biodiversity and Assessment 2(2): 48-52.
- Shendge AK, Basu T, Sinha GP and Mandal N (2017). Assessment of the antioxidant activity and phytochemical analysis of a lichen, *Everniastrum cirrhatum* (Fr.) Hale ex Sipman. World Journal of Pharmacy and Pharmaceutical Sciences 6(9): 1440-1464.

ACKNOWLEDGEMENTS

The Authors (SN and SJ) are thankful to the Director, CSIR-NBRI for providing the library facilities under project OLP 101. GPS is thankful to the Director, BSI, Kolkata for facilities. One of the author (SJ) is thankful to DST, New Delhi for financial assistance under DST INSPIRE Faculty scheme (IFA18-LSPA 124). We thank Dr. D.K. Upreti, CSIR-Emeritus Scientist, CSIR-NBRI, Lucknow and all the lichen researchers of India who shared their publication list.